

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/729,006	12/08/2003	Fumitaka Toyomura	03500.017767.	9107
5514 7590 10/09/2007 FITZPATRICK CELLA HARPER & SCINTO 30 ROCKEFELLER PLAZA			EXAMINER	
			HALL, ASHA J	
NEW YORK, NY 10112			ART UNIT	PAPER NUMBER
			1795	
			MAIL DATE	DELIVERY MODE
			10/09/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

•						
	Application No.	Applicant(s)				
	10/729,006	TOYOMURA, FUMITAKA				
Office Action Summary	Examiner	Art Unit				
-	Asha Hall	1753				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period w  - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 6(a). In no event, however, may a reply be tin rill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 10 Ju	<u>ıly 2007</u> .					
2a) ☐ This action is <b>FINAL</b> . 2b) ☒ This	action is non-final.					
3) Since this application is in condition for allowan	☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under E	x parte Quayle, 1935 C.D. 11, 45	53 O.G. 213.				
Disposition of Claims						
4)⊠ Claim(s) <u>1-16</u> is/are pending in the application.						
4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-16</u> is/are rejected.	6)⊠ Claim(s) <u>1-16</u> is∕are rejected.					
7) Claim(s) is/are objected to.		·				
8) Claim(s) are subject to restriction and/or	election requirement.					
Application Papers						
9) The specification is objected to by the Examine	г.					
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.						
Applicant may not request that any objection to the	drawing(s) be held in abeyance. See	e 37 CFR 1.85(a).				
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) ☐ The oath or declaration is objected to by the Ex	aminer. Note the attached Office	Action or form PTO-152.				
Priority under 35 U.S.C. § 119						
12)⊠ Acknowledgment is made of a claim for foreign a)⊠ All b)□ Some * c)□ None of:	priority under 35 U.S.C. § 119(a)	)-(d) or (f).				
1.☑ Certified copies of the priority documents have been received.						
2. Certified copies of the priority documents have been received in Application No						
3. Copies of the certified copies of the prior	•	ed in this National Stage				
application from the International Bureau (PCT Rule 17.2(a)).						
* See the attached detailed Office action for a list of the certified copies not received.						
·						
Attachment(s)						
1) Notice of References Cited (PTO-892)	4) Interview Summary Paper No(s)/Mail Da					
2)  Notice of Draftsperson's Patent Drawing Review (PTO-948) 3)  Information Disclosure Statement(s) (PTO/SB/08)	5) D Notice of Informal P					
Paper No(s)/Mail Date	6)  Other:					

Art Unit: 1753

#### **DETAILED ACTION**

## Claim Rejections - 35 USC § 102

- 1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:
  - (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States
  - (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 2. Claim 1 is rejected under 35 U.S.C. 102(e) as being anticipated by Yoshikawa et al. (US2002/0193001).

Yoshikawa et al. discloses solar cell battery arrays comprising at least one power conversion unit (paragraph 5) having a plurality of solar cell elements/solar battery arrays(12) and a power converter/terminal box (13) provided in a position corresponding to a region surrounded by all the solar cell elements(12) (Figure 2).

3. Claims 1, 13, and 15 are rejected under 35 U.S.C. 102(b) as being anticipated by Kondo et al. (US 6,169,678).

Kondo et al. discloses solar cell battery arrays comprising at least one power conversion unit (21) (col. 3; lines: 19-29) having a plurality of solar cell elements/solar battery arrays (11) and a power converter/terminal box (21) provided in a position

Art Unit: 1753

corresponding to a region surrounded/electrically connected to all the solar cell elements/array (11) (Figure 1).

Claim 13 reads on the power generation unit/solar cell module (11) of Kondo et al. as shown in Figure 1. Kondo et al. discloses a solar cell array (11) comprising at least one having a plurality of solar cell elements/array (11) and a terminal box (21) provided in a position corresponding to a region surrounded/underneath the plane of the plurality of solar cell elements (11) as shown in Figure 4 to collect outputs of the solar cell elements (2) (col.3; lines: 3-29).

In regard to claim 15, Kondo et al. discloses a solar cell module (11) in Figure 1, as comprising at least one power generation unit (21) having two adjacent solar cell elements/array (11) (Figure 4) and a terminal box/power generation unit (21). Kondo et al. reads on having the terminal box/power generation unit (21) shown in Figure 1, wherein placed in a region next to the solar battery module/array(11) wherein there is a gap (extension shown by the arrow in Figure 1) between the two adjacent solar cell elements/arrays (11, 12, 13) to collect outputs of the two adjacent solar cell elements (col. 3; lines: 3-29).

4. Claims 1 and 2 are rejected under 35 U.S.C. 102(b) as being anticipated by Kurokami et al. (5,955,885).

With regard to claim 1 and 2, Kurokami et al. (5,955,885) discloses the solar cell module (40) (col.15: 21-42) as shown in Figure 4 and 6, wherein the solar cell battery arrays (col. 1; lines: 20-23) comprising a polarity of power conversion unit (410,510,610,710) having a plurality of solar cell elements/modules (40,50,60,70)

**Art Unit: 1753** 

(Figure 4 and 6) and a power converter/power conversion unit (415,516,618,718) provided in a position corresponding to a region surrounded/attached by all the solar cell elements (Figure 4 and 6), wherein at least two of the power conversion units (410,510) (Figure 4) are included and each power converter/power conversion units(410,510) (Figure 4) is electrically connected/by wire connection to a power converter of an adjacent power conversion unit (Figure 4 and 6) (col.15; lines: 21-42).

5. Claims 1-5, 10-12, 14, and 16 are rejected under 35 U.S.C. 102(b) as being anticipated by Kondo et al. (US 2002/0038667).

With regard to claim 1 and 2, Kondo et al. (US 2002/0038667) discloses the solar cell module (1) (paragraph 1) according to claim 1, wherein at least two of the power conversion units (21) (paragraph 33) are included and each power converter/inverter unit (3) (paragraph 36) is in the plane of the solar cell module (1) and electrically connected to a power converter of an adjacent power conversion unit (as shown in both Figure 1 & 2).

In respect to claim 3, Kondo et al. discloses that the outputs of the solar cell elements/solar battery unit (2) (as shown in Figure 7) are inputted to the power converters/inverter units (3) (paragraph 36) corresponding to the solar cell elements (paragraph 36), and the power converters (21) convert the inputted outputs of the solar cell elements(2) and output the converted outputs (paragraph 36 & paragraph 51).

With regard to claim 4, Kondo et al. discloses that all output terminals/output connector (Figure 2) of the solar cell elements (1) are electrically connected (also

Art Unit: 1753

shown in Figure 3) to all input terminals/input connector (8) of the power converters corresponding to the output terminals (9) respectively (paragraph 6).

In respect to claim 5, Kondo et al. discloses a plurality of input terminals/input connector of the power converters (paragraph 6) that are provided on the same and one surface (Figure 3).

In regard to claim 10, Kondo discloses in Figure 13 a solar cell module (2) comprising at a power conversion unit/inverter (21) (paragraph 84) and in Figure 2 comprises of having two/plurality of adjacent solar cell elements/solar modules (2) and a power converter/inverter (21) provided in a position corresponding to a region/underneath the plane of the solar module (2) as shown in Figure 4 and on the extension of a gap between the two adjacent solar cell modules (2) (Figure 2 and 4) the solar cell modules and power convert are arranged to convert electic power outputted from each solar battery that is attached to each connector (paragraph 6).

In respect to claim 11, Kondo et al. discloses a the solar cell module (1) in Figure 2 according to claim 10, and further discloses a solar cell module/solar battery unit (3) electrically connected to a power conversion unit (21), and discloses in Figure 1, a plurality of the power conversion units (21) which is apart of the ac modules (1) with each power converter/inverter unit (3) (Figure 3) electrically connected (Figure 1) to a power converter/inverter unit (3) of an adjacent power conversion unit (21) (paragraph 6). Kondo et al. has described this particular design as to incorporate an array of solar batter modules and electronic power converters to produce a power generation apparatus (paragraph 1).

Art Unit: 1753

With respect to claim 12, Kondo et al. discloses in Figure 11 the solar cell module (1) according to claim 10, wherein outputs of the two adjacent solar cell elements (1) are inputted to the power converters/inverters corresponding to the outputs, and the power converters/inverter convert the inputted outputs of the two adjacent solar cell elements (1) and output/output path (91) the converted outputs (paragraph 76).

In regard to claim 14, Kondo et al. further discloses three power generation units/
(the term power generation unit reads on a solar cell modules attached to a power
conversion unit to produce a power generation unit) (1), and each power generation
unit/solar cell modules (1) is electrically connected (Figure 4) to a terminal box (21) of
an adjacent power generation unit/solar cell modules (1) (paragraph 31).

With respect to claim 16, Kondo et al. discloses a solar cell module (1) in Figure 11, as three of the power generation unit/photoelectric conversion elements and solar module (1) (the term power generation unit reads on a solar cell modules attached to a power conversion unit to produce a power generation unit). Kondo et al. also discloses a power generation unit/solar modules (1) is electrically connected (as shown in Figure 10 and11) to a terminal box (21) of an adjacent power generation unit/solar module (1) (paragraph 75).

5. Claims 7-9 are rejected under 35 U.S.C. 102(e) as being anticipated by Takabayashi et al. (US 2002/0195136).

With respect to claim 7, Takabayashi et al. (US 2002/0195136) discloses a solar cell module (Figure 11) and at least one power conversion unit (1303) (as shown in Figure 13) having a plurality of solar cell elements (1102) as shown in Figure 11

Art Unit: 1753

arranged on a plane (1101) and the attachment of a power converter/conditioner (1303) as seen in Figure 11. Claim 7 reads on the power converter (1303) of Takabayashi et al., which achieves a position as shown in Figure 11 of minimizing a sum of all collecting losses by being the closest to the position of the solar cell array (1303) when collecting a power generated by the solar cell elements to the power converter.

In regard to claim 8, Takabayashi et al. discloses a solar cell module comprising at least one power conversion unit (1303) having a plurality of solar cell elements (1101) arranged on a plane (1103) and a power converter (1303) (as shown in Figure 11-13), wherein the solar cell elements respectively have a terminal member (1104 & 1005) and the power converter (1303) is arranged in the closest position between the terminal members (1104 & 1105) in a state of arranging the solar cell elements (paragraph 21).

With respect to claim 9, Takabayashi et al. (US 2002/0195136) discloses a solar cell module as shown in Figure 11-13 comprising at least one power conversion unit (1303) having a plurality of solar cell elements (1103) shown in Figure 11 and arranged on a plane (1101) and a power converter (1303) as shown in Figure 11, wherein the solar cell elements (1102) respectively have a terminal member (1104 & 1105) as shown in Figure 11 and the power converter (1303) is arranged in the closest position between the terminal members (1104 & 1105) in a state of arranging the solar cell elements as shown in Figure (11) (paragraph 21). Claim 9 reads on the power converter (1303) which achieves a position as shown in Figure 11 of minimizing a sum of all collecting losses by being the closest to the position of the solar cell array (1303).

Application/Control Number: 10/729,006 Page 8

Art Unit: 1753

### Claim Rejections - 35 USC § 103

6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 7. Claim 6 is rejected under 35 U.S.C. 103(a) as being unpatentable over Kondo et al. (US 2002/0038667) in view of Takehara et al. (6,331,670).

In regard to claim 6, Kondo (US 2002/0038667) discloses the solar cell module (1) (paragraph 1) according to claim 1, but fails to disclose the solar cell elements as p-n junctions or pin junctions.

Takehara et al. discloses a photovoltaic/solar cell array (Figure 3) of each of the solar cell elements has p-n junctions (303 a, b, c) or pin junctions of two or more layers (col. 9; lines: 13-23). It is obvious to those skilled in the art to utilize a p-n junction for solar cell elements since their ability to allow current to flow easily in only one direction as evidence given by Jackson et al., **Handbook of Semiconductors Technology**, Vol. 2., Wiley, Copyright 2000, p.348. It would have been obvious to one of ordinary skill in the art at the time of the invention to incorporate the p-n junction as disclosed by Takehara et al. to the power converter in the solar cell module of Kondo (US 2002/0038667) in order to get current to flow.

Application/Control Number: 10/729,006 Page 9

Art Unit: 1753

## Response to Arguments

#### Claim Rejections USC 102

- 8. With respect to claim 1, the Applicant has argued that the applied reference of Kondo (6,169,678) does not disclose or suggest a power converter provided in a position corresponding to a region surrounded by a plurality of solar cell elements. The Examiner has applied additional information disclosed by Kondo to further show that the power converter provided in a position corresponding to a region surrounded.
- 9. With respect to claim 1, the Applicant has argued that Figure 1 of Takehara is seen to depict merely that solar cell panels 101 can be arranged on the roof of a house, and paragraph [0132] and corresponding Figure 12 are seen to disclose a way to connect solar cell modules. Applicant fails to see how this disclosure of Takehara discloses or suggests a power converter provided in a position corresponding to a region surrounded by a plurality of solar cell elements. Applicant's arguments have been fully considered and are persuasive. The Examiner has withdrawn Takehara (US 6,331,670) as a 35 USC 102(b) rejection of claims 1 and 6.
- 10. With respect to claims 7-9, the Applicant has argued that the applied reference of Takabayashi et al. does not show in Figure 13 that the power converter is arranged in the closest position between the terminal members. It is of record in the first office action that the Examiner has used Figure 11 along with Figure 13 to show that Takabayashi et al. has disclosed that the power converter is arranged in the closest position between the terminal members, even so, the Examiner has clarified the rejection to indicate Figure 11 illustrating minimizing a sum of all collecting losses by

Art Unit: 1753

\_\_\_

being the closest to the position of the solar cell array (1303) when collecting a power generated by the solar cell elements (paragraph 21).

- 11. In regard to claims 10 and 11, the Applicant has argued that the applied reference of Toyomura does not disclose or suggest that the power converter is provided in a position corresponding to a region between the two adjacent solar cell elements. The Examiner agrees and has withdraw the rejection and presents a new ground of rejection above.
- 12. In regard to claim 13 and 15, the Applicant has argued that Higashikozono is not prior art by virtue of the earlier filing date of Japanese priority application 2002-361986. The certified translation submitted has the subject matter claimed and are entitled to the priority date of December 13, 2002. The Examiner has applied another reference as presented above.

#### Conclusion

11. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Asha Hall whose telephone number is 571-272-9812. The examiner can normally be reached on Monday-Friday 7:30-5:00PM EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Alexa Neckel can be reached on 571-272-1446. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1753

Page 11

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

AJH H

> ALEXA D. NECKEL SUPERVISORY PATENT EXAMINER